Vasectomy Informed Consent



I,, hereby authorize Dr to perform a vasectomy on me. A vasectomy is a procedure to make a man infertile (sterile). IT IS A PERMANENT AND IRREVERSIBLE PROCEDURE.	
Description of Procedure A vasectomy is a surgical procedure that makes a man permanently sterile or unable to impregnate a woman. When you have a vasectomy, the urologist numbs the scrotum. Then he or she makes a small incision or puncture in the skin so that he or she can access the vas deferens (the tubes that carry spern Next, the doctor removes a portion of each vas deferens and seals the ends so that sperm can no longe pass through them. Finally, the doctor returns the vas deferens to the scrotum and closes the incision of puncture. The entire procedure takes about 20 minutes.	m). er
Risks/Possible Complications A vasectomy is a simple procedure, but it does involve some risks. After a vasectomy, you can expect minor discomfort such as bruising of the scrotum as well as redness and swelling at the site of the incit You may also have some drainage from the incision. These are normal parts of the healing process. Parafter the procedure is usually mild and can be controlled by using a scrotal support, cold packs and over the counter pain medication such as ibuprofen or Tylenol. Your doctor will also give you a prescription a pain medication that you can fill if you find that you need a stronger pain controller.	ision. ain er-
Complications that could occur following a vasectomy include: • Bruising of or pain in the scrotum and testicles • Inflammation or infection of the scrotum, testicles and epididymis • Chronic testicular pain or sperm granuloma • Possible rejoining of the vas deferens resulting in fertility and pregnancy	
Masculinity and Sexuality After a vasectomy, your body's testosterone level will remain the same. Your sex drive, facial hair, vocand other masculine traits will also remain unchanged. A vasectomy does not affect your erections or change the sensation of your orgasm. Your semen, the fluid you ejaculate, will look the same after a vasectomy. Additionally, a vasectomy will not affect your urination.	oice
Infertility Is Not Immediate A vasectomy will not make you immediately infertile. It will take 12 weeks for all of the sperm to leavour body. IT IS CRITICAL TO USE ANOTHER FORM OF BIRTH CONTROL UNTIL A DOCTO CONFIRMS THAT YOUR SPERM COUNT IS ZERO.	
Consent for Treatment The above information has been explained to me. I certify by my signature below that I have read (or had read to me) this Informed Consent and that I understand it. Any questions that I asked have been answered in language that I understand. I voluntarily consent to this procedure.	have
Patient Signature: Date:	

Bring this form with you to your appointment.

Printed Name:

Patient Consent Statement



Treatment Consent

I request and authorize medical and/or surgical treatment, as may be deemed necessary and appropriate by the physician and his or her designees participating in my care. The possible risks and benefits of any procedures shall be disclosed to me. This care may include diagnostic; radiology and laboratory procedures; therapeutic procedures, including minor procedures like cystoscopies (using a scope to examine the bladder); administration of drugs; hospital care and medically-appropriate referral for medical supplies including to companies in which my provider may be an investor.

Right to Refuse Treatment

In giving my general consent to treatment, I understand that I retain the right to refuse any particular examination, test, procedure, treatment, therapy or medication recommended or deemed medically necessary by health care providers.

I also understand that Urology San Antonio uses non-physician providers including advance practice nurses and physician assistants to assist in the delivery of urologic care. A non-physician provider has received advanced education and training in the provision of health care. A non-physician provider can diagnose, treat and monitor common acute and chronic diseases as well as provide health maintenance care. I understand that at any time, I can refuse consent to the services of a non-physician provider and request to see a physician.

I realize that I have the right to informed participation in all decisions involving my health care. I acknowledge that no guarantees may be made in regard to the effectiveness of any particular treatment.

Financial Responsibility

Insurance eligibility and benefit information provided by your insurance will determine the coverage and estimated reimbursement for medical services provided by Urology San Antonio. Outside referrals to other provider(s) for services may include but not be limited to, laboratory, other ancillary services, surgical and anesthesia services necessary for the provision of your care. Patients are financially responsible for payment of services to other providers.

Patients that do not have insurance benefits will be provided an estimate of charges based on provider's orders. Any prices quoted on the date of service are only estimates of charges for services. Procedures, laboratory and/or diagnostic studies and services may not be included in the original estimate and remain patient's full responsibility:

I accept that I am financially responsible for all services rendered on my behalf for which charges are associated. I accept personal responsibility for all co-payments/co-insurance, deductible and non-covered services as dictated by my insurance coverage.

I acknowledge that there may be services provided by Urology San Antonio which may not be covered by my insurance plan(s) and that I remain fully responsible for payment of these services. These may include but not limited to, services provided by Urology San Antonio that are exclusions from my insurance benefits; the determination is made by my insurance that I am not a covered policy holder under the insurance plan(s) you provided; my failure to provide current and accurate insurance card(s).

I agree to receive medical services provided by Urology San Antonio as a Self-Pay patient and accept full responsibility for payment of services rendered. The estimate amount quoted on my date of service is only an estimate. I understand that any remaining balance is my full responsibility.

Consent to Contact

I authorize and grant consent for Urology San Antonio, its assignees, and third party collection agents to utilize all contact information I have provided in efforts to contact me to communicate regarding my account, including debt collection, by a live person or automated dialing device. This includes, but is not limited to, home telephone, cellular telephone, employment telephone, and any form of digital communications including, but not limited to, contact by manual calling methods, prerecorded or artificial voice messages, text messages, emails, and/or automatic telephone dialing systems.

Confidential Communications Consent

I hereby authorize Urology San Antonio to furnish information to insurance carriers concerning my illness and treatment and hereby assign to the medical provider all payments for medical service rendered to myself or my dependents. I understand that Urology San Antonio may use electronic or facsimile communication devices to share information about me with other health care providers, third party payers or other facilities involved in my care. Urology San Antonio may leave voice mail identifying me as a patient of Urology San Antonio. (If you do not wish us to leave voice mail, please notify us.) Please understand that the use of communication technology may expedite your care. Urology San Antonio will not use or disclose your health care information without your authorization except as described in the Notice of Privacy Practices.

Pharmacy

I consent to the Plan of Care designed by the pharmacist in conjunction with my urologist. I understand that the Urology San Antonio Pharmacy is open 10 a.m. – 2 p.m. Monday – Friday and is located at 7909 Fredericksburg Road, Suite 110-A. I understand that I have access to a pharmacist-on-Call 24 hours a day/7 day a week for emergency and clinical situations such as side effects. Since changes in prescriptions require a physician's involvement, after hour issues are handled by our Physician on Call at (210)731-2050. The physician then will contact the Pharmacist should the need arise.

Signature	Date

Vasectomy Pre-Procedure Instructions



	ointment Information
	vasectomy appointment has been scheduled for at am/pm with
Dr	at the following clinic location.
Addr	ess Phone
Billin	Pre-Vasectomy Consultation - Most insurance will cover a pre-vasectomy consultation. However, if you do not have coverage, and you or your physician determines it best to have the vasectomy on a different day from the consultation, there will be a \$100 visit charge. The amount may be higher if your physician orders additional lab work or testing performed. Payment must be made at the time of the appointment. Vasectomy Cost - For patients whose health insurance does not cover vasectomy, the total prepayment requirement is \$900. This amount includes the vasectomy as well as follow-up semen checks. For both private pay and insured patients, a deposit of \$100 is required when you call to schedule your vasectomy. Payment is typically taken over the phone via credit card. Off you decide to cancel or postpone your vasectomy, you must notify us at least 3 days before your appointment or your deposit will not be refunded. If you do not have insurance, the balance of the fee (\$800) is due in full when you arrive for the procedure. For insured patients, our office will bill your insurance. If you have not met your deductible or have a co-pay, you will be required to pay it prior to the procedure. After your vasectomy, when you receive your Estimate of Benefits statement (EOB) from your insurer, notify Urology San Antonio's billing office by calling (210) 731-2050 and we will process your refund check. If your insurance policy requires authorization from your primary care doctor, you must present the referral paperwork prior to seeing the urologist for your vasectomy.
	re The Procedure Stop taking all aspirin or blood thinning products (see enclosed list) one week prior to your vasectomy. Arrange to rest and be off from work for 2-3 days after the vasectomy. (Many men schedule their procedure on a Friday and recuperate over the weekend before returning to work Monday.) A short video explaining what you can expect during a vasectomy is available at
The l	www.urologysanantonio.com/vasectomy. Men are encouraged to watch the video, but it is not required. Day Of The Vasectomy You may eat and drink as you normally do. Carefully shave all of the hair from the scrotum (the sack that holds the testes). It is not necessary to shave the entire pubic area, only the scrotum.
П	Bring tight-fitting underwear or an athletic supporter to wear after the procedure

Questions/Concerns

If you have any questions before or after the vasectomy, please call your urologist at the number listed at the top of this packet.

Medication Guidelines In-Office Vasectomy



To help you prepare for your upcoming vasectomy appointment, Urology San Antonio has compiled a list of medications along with important instructions on when to stop and resume taking them.

Proper medication management before and after the procedure is crucial to promote your comfort, safety, and overall well-being.

Please carefully review the following chart to ensure you are adequately prepared. If you have any questions or concerns, do not hesitate to reach out to our medical team for assistance.

Drug	Stop taking medication prior to your vasectomy.	Resume taking medication after your vasectomy.
ASA (Aspirin)	5 days	2 days
Ibuprofen (Advil, Motrin, etc.)	5 days	2 days
Plavix (Clopidogrel)	7 days	2 days
Coumadin (Warfarin)	5 days	2 days
Xarelto (Rivaroxaban)	2 days	24 hours
Pradaxa (Dabigatran)	3 days	24 hours
Eliquis (Apixaban)	2 days	2 days

Vasectomy Post-Procedure Instructions



General Expectations

You can expect some bruising and redness at the site of the incision. The sutures in your incision will dissolve and fall out within 5-10 days. There may be some yellow or white discharge from the incision as the sutures dissolve. This is normal. You may notice a small open gap at the site of the incision after the sutures fall out. This will close up over time. You may notice some firmness in and around the incision site. It will soften, flatten and return to normal within a few weeks.

Post-	-Vasectomy Instructions
To fa	acilitate a speedy recovery, please adhere to the following instructions.
	Wear close-fitting underwear for 1-2 days to hold the bandages in place and protect the scrotum.
	Place an icepack on your scrotum to minimize swelling during the first 24 hours.
	Most patients need only Tylenol to control pain; however, your urologist may give you a prescription for
	pain medication if you find that you need stronger pain control.
	You may take showers beginning the day after the procedure, but avoid soaking the scrotum in
	baths, swimming pools or hot tubs until the sutures completely dissolve (usually 10 days).
	Rest for a few days. Do not play sports, do heavy lifting or have sex for the first 3 days after the

vasectomy. After 3 days, you may return to your normal activities, but start slowly.

Follow-Up Semen Test

Understand that a vasectomy does not make you immediately infertile. It takes 12 weeks for all the sperm to leave your body. **<u>It is critical that you use another form of birth control until a semen test shows</u> no sperm.**

You do not need to schedule a follow up appointment; however, after at least 12 weeks you must
bring a semen sample to the office so that a urologist can verify that no sperm are present and the
vasectomy was successful.
Semen samples can be delivered to any Urology San Antonio clinic in the specimen cup your doctor
provided. The sample must be delivered within 2 hours of ejaculation.
Although you do not need an appointment, please call the clinic on the day you plan to bring in
your specimen to verify a urologist will be available to review it.
Specimens may be dropped off; the urologist will call to share your results.

Complications

Contact your clinic location immediately (option 0) if you experience any of the following complications:

- Temperature (taken by mouth) above 101.5° F.
- Bleeding from your incision that will not stop
- Redness or swelling that does not subside
- Difficulty urinating
- Any other concerns or issues

Clinic Locations

Medical Center

Pasteur Plaza 7909 Fredericksburg, Ste. 120-210 San Antonio, TX 78229 (210) 614-4544

Mission Trail

Mission Trail Medical Plaza 3327 Research Plaza, Ste. 403 San Antonio, TX 78235 (210) 337-6228

Downtown

Metropolitan Prof. Bldg. 1303 McCullough, Ste. 270 San Antonio, TX 78212 (210) 474-7020

Westover Hills

10431 State Highway 151 San Antonio, TX 78251 (210) 521-7333

<u>Northeast</u>

Northeast Methodist Plaza 12709 Toepperwein, Ste. 206 San Antonio, TX 78233 (210) 564-8000

Stone Oak

18915 Meisner Drive San Antonio, TX 78258 (210) 499-5158

New Braunfels

598 North Union, Suite 320 New Braunfels, TX 78130 (830) 246-2115